## Subject Index

*Abbreviations:* (CR) case report, (LE) letter to the editor, (O) obituary, (SA) special article, and (SR) short report.

ASD, atrial septal defect; AV, atrioventricular; CHD, congenital heart disease; LV, left ventricle or left ventricular; PA, pulmonary artery; PDA, persistent or patent ductus arteriosus; RV, right ventricle or right ventricular; 2D, two-dimensional; and VSD, ventricular septal defect.


*"Absent" pulmonary valve* with ASD and PDA (LE), *119*
*Acute rheumatic fever* in southern Israel, review of 222 cases of (SR), *199*
*Anaerobic threshold,* ventilatory, in children with left-to-right intracardiac shunt, *19*
*Anomalous* origin, total, of coronary arteries from PA, *11*
pulmonary venous connection, partial, to azygos vein (CR), *115*
*Antihypertensive therapy* in experimental aortic coarctation, renal perfusion in, *83*
*Aortic* arch, interrupted, aortic origin of right PA, and aortopulmonary window (CR), *49*
arch, interrupted, natural history and operative results of, 89
balloon valvuloplasty with transluminal venous balloon inflow occlusion (CR), *103*
coarctation, experimental, during antihypertensive therapy, renal perfusion in, *83*
origin of right PA, aortopulmonary window, and interrupted aortic arch (CR), *49*
valve stenosis, LV retrograde transfemoral catheterization in, *79*
*Aortopulmonary window*, with aortic origin of right PA, and interrupted aortic arch (CR), *49*
*Arrhythmias*, fetal cardiac, circulatory effects of, *67*
*Arterial,* coronary, lesions in Kawasaki disease, *3*
pulmonary, changes in VSD and severe pulmonary hypertension, *147*
*Arteries,* coronary, total anomalous origin from PA, *11*
pulmonary, closure of VSD through, *195*
*Arteriosus,* patent ductus, "absent" pulmonary valve with ASD and (LE), *119*
patent ductus, palliation by percutaneous transcatheter device, occlusion of (CR), *49*
persistent truncus, pathologic anatomy in 54 cases, *95*
*Atresia,* congenital unilateral pulmonary venous, with pulmonary veno-occlusive disease in contralateral lung (CR), *213*
pulmonary, with intact ventricular septum, 183
*Atrioventricular* canal, persistent common, with single papillary muscle of LV (CR), *111*
discordance with ventriculoarterial concordance (CR), *107*
septal defect after surgical resection of subaortic shelf (CR), *205*
*Atrial* septal defect, "absent" pulmonary valve with PDA and (LE), *119*
septum, intact, in partial anomalous pulmonary venous connection to azygos vein (CR), *115*
thrombosis, right: rare complication of Fontan procedure (CR), *209*
*Azygos vein,* partial pulmonary venous connection to (CR), *115*

*Baffle obstruction,* intracardiac pericardial, caused by post-pericardiotomy syndrome (LE), *58*
*Balloon valvuloplasty,* aortic, with transluminal venous balloon inflow occlusion (CR), *103*

*Calcifications,* myocardial, in infants with CHD (CR), *161*
*Cardiac* arrhythmias, fetal, circulatory effects of, *67*
catheterization findings in Kawasaki disease, *3*
disease, pediatric, systematic approach to diagnosis and coding of (SA), *35*
rhabdomyoma presenting as fetal hydrops (CR), *171*
sensitivity to verapamil in rats, ontogenic differences in, *25*
*Catheterization,* cardiac, findings in Kawasaki disease, *3*
retrograde transfemoral, of LV in children with aortic valve stenosis, *79*
*Cerebral infarction* complicating Fontan surgery for cyanotic CHD (CR), *161*
*Cineventriculographic study,* quantitative, of RV and LV function, *183*
*Circulatory effects* of fetal cardiac arrhythmias, *67*
*Coarctation of aorta,* experimental, during antihypertensive treatment, renal perfusion in, *83*
*Code,* diagnostic, for CHD (supplement) (SA), *31*
*Coding* and diagnosis of pediatric cardiac disease, systematic approach to (SA), *35*
Color Doppler echocardiography in detection of aortopulmonary window, aortic origin of right PA, and interrupted aortic arch (CR), *49*

*Common atrioventricular canal*, persistent, with single papillary muscle of LV (CR), *111*
*Compliance*, instantaneous RV, measured by phasic tricuspid flow velocity (SR), *155*
*Concordance*, ventriculoarterial, with AV discordance (CR), *107*
*Congenital* heart disease, cyanotic, cerebral infarction complicating Fontan surgery for (CR), *161*
heart disease, diagnostic code for (supplement) (SA), *31*
heart disease with myocardial calcifications in infants, *75*
intracardiac shunt, exercise performance evaluated by ventilatory anaerobic threshold, *19*
Rubella syndrome, severe subaortic stenosis associated with (CR), *221*
unilateral pulmonary venous atresia with pulmonary veno-occlusive disease in contralateral lung (CR), *213*
*Contralateral lung*, congenital unilateral venous atresia with veno-occlusive disease in (CR), *213*
*Coronary* arterial lesions in Kawasaki disease, cardiac catheterization findings in, *3*
arteries, total anomalous origin of, from PA, *11*
artery, left circumflex, to RV fistula (2D and Doppler echocardiography) (CR), *167*
*Cyanotic congenital heart disease* complicated by cerebral infarction, Fontan surgery for (CR), *161*

*Diagnosis* and coding of pediatric cardiac disease, systematic approach to (SA), *35*
*Diagnostic code* for CHD (supplement) (SA), *31*
*Discordance*, AV, with ventriculoarterial concordance (CR), *107*
*Doppler* and 2D echocardiography of left circumflex coronary artery (CR), *167*
color, echocardiography in detection of aortopulmonary window, origin of right PA, and interrupted aortic arch (CR), *49*
*Ductus* arteriosus, patent, "absent" pulmonary valve with ASD and (LE), *119*
arteriosus, patent, palliation by percutaneous transcatheter device occlusion of (CR), *221*
silent, precursors and aftermath, *121*

*Echocardiography* of intracardiac filling defects in infants and children, *189*
2D, and color Doppler in detection of aortopulmonary window, origin of right PA, and interrupted aortic arch (CR), *49*
*Erratum*, *59*
*Exercise performance* in children, ventilatory anaerobic threshold in, *19*

*Fallot*, tetralogy of, mimicked by VSD with mobile tricuspid valve pouch (CR), *53*
*Fetal* cardiac arrhythmias, circulatory effects of, *67*
hydrops caused by cardiac rhabdomyoma (CR), *171*
*Filling defects* in infants and children, intracardiac, echocardiography of, *189*
*Fistula*, left circumflex artery to RV (2D and Doppler echocardiography) (CR), *167*
*Flow velocity*, phasic tricuspid, as measure of instantaneous RV compliance (SR), *155*
*Fontan* procedure, modified, rare complication of (CR), *209*
surgery for cyanotic CHD complicated by cerebral infarction (CR), *161*
*Frank vectorcardiograms* during first year of life: longitudinal study, *141*

*Great vessels*, normally connected, with ventricular inversion in situs solitus (CR), *107*

*Hearts* with one underdeveloped and one dominant ventricle, spectrum of, *129*
*Hydrops*, fetal, caused by cardiac rhabdomyoma (CR), *171*
*Hypertension* and VSD, severe pulmonary, pulmonary arterial changes in, *147*

*Indomethacin* responsiveness predicted by prostaglandin levels, *61*
*Infarction*, cerebral, complicating Fontan surgery for CHD (CR), *161*
*Inflow occlusion*, transluminal venous balloon, with aortic balloon valvuloplasty (CR), *103*
*Intact ventricular septum*, pulmonary atresia with, *183*
*Interrupted aortic arch*, aortopulmonary window, and aortic origin of PA (CR), *49*
natural history and operative results of, *89*
*Intracardiac* filling defects in infants and children, echocardiography of, *189*
pericardial baffle obstruction caused by post-pericardiotomy syndrome (LE), *58*
shunt, left-to-right, ventilatory anaerobic threshold in children with, *19*
teratoma in an infant (CR), *179*
*Intrauterine supraventricular tachycardia* with familial Lown–Ganong–Levine syndrome (LE), *57*
*Israel*, southern, review of 222 cases of acute rheumatic fever in (SR), *199*

*Kawasaki* disease, coronary arterial lesions in, *3*
valvulitis, severe mitral insufficiency associated with (CR), *203*

*Left ventricle* in children with aortic valve stenosis, retrograde transfemoral catheterization of, *79*
with persistent common AV canal, single papillary muscle of (CR), *111*
*Left-to-right intracardiac shunt,* congenital, exercise performance evaluated by ventilatory anaerobic threshold, *19*
*Lown–Ganong–Levine syndrome,* intrauterine supraventricular tachycardia with familial history of (LE), *57*
*Lung,* contralateral, congenital unilateral venous atresia with veno-occlusive disease in (CR), *213*

*Mitral* insufficiency, severe, associated with Kawasaki valvulitis (CR), *203*
valve, parachute, variant of (CR), *111*
*Mobile tricuspid valve pouch* in VSD (CR), *53*
*Myocardial calcifications* in infants with CHD, *75*

*Neonatal soft-tissue swelling* during prostaglandin $E_1$ therapy (CR), *157*
*Normally connected great vessels* with ventricular inversion in situs solitus (CR), *107*

*Ontogenic differences* in cardiac sensitivity to verapamil in rats, *25*
*Operative results* of interrupted aortic arch, *89*

*Papillary muscle,* single, of LV with persistent common AV canal (CR), *111*
*Parachute mitral valve* variant (CR), *111*
*Partial anomalous pulmonary venous connection* to azygos vein with intact atrial septum (CR), *115*
*Patent ductus arteriosus,* "absent" pulmonary valve with ASD and (LE), *119*
palliation by percutaneous transcatheter device occlusion of (CR), *221*
*Percutaneous transcatheter device occlusion* of PDA (CR), *221*
*Pericardial baffle obstruction,* intracardiac, caused by post-pericardiotomy syndrome (LE), *58*
*Persistent truncus arteriosus* pathologic anatomy in 54 cases, *95*
*Post-pericardiotomy syndrome* as cause of intracardiac pericardial baffle obstruction (LE), *58*
*Prostaglandin* $E_1$ therapy causes soft-tissue swelling in neonates (CR), *157*
levels as predictors of indomethacin responsiveness, *61*
*Pulmonary* arterial changes in VSD and severe pulmonary hypertension, *147*
artery, closure of VSD through, *195*
artery, total anomalous origin of, from coronary arteries, *11*
atresia with intact ventricular septum, *183*
valve, "absent," with ADS and PDA (LE), *119*
venous atresia, congenital unilateral, with pulmonary veno-occlusive disease in contralateral lung (CR), *213*
venous connection, partial anomalous, to azygos vein with intact atrial septum (CR), *115*

*Renal perfusion* in experimental aortic coarctation during antihypertensive therapy (CR), *115*
*Resection* of subaortic shelf, surgical, AV defect after (CR), *205*
*Retrograde transfemoral catheterization* of LV in children with aortic stenosis, *79*
*Rhabdomyoma,* cardiac, presenting as fetal hydrops (CR), *171*
*Rheumatic fever* in southern Israel, acute, review of 222 cases of (SR), *199*
*Right* atrial thrombosis: rare complication of the modified Fontan procedure (CR), *209*
PA, aortic origin of, interrupted aortic arch, and aortopulmonary window (CR), *49*
ventricle, two-chambered, and unguarded tricuspid orifice (CR), *175*
ventricular compliance, instantaneous, measured by phasic tricuspid flow velocity (SR), *155*
ventricular fistula, left circumflex artery to (2D and Doppler echocardiography) (CR), *167*
*Rubella syndrome,* congenital, severe subaortic stenosis associated with (CR), *221*

*Septal defect,* atrial, "absent" pulmonary valve with PDA and (LE), *119*
AV, after surgical resection of subaortic shelf (CR), *205*
ventricular, closure of, through pulmonary artery, *195*
ventricular, with mobile tricuspid valve pouch (CR), *53*
ventricular, and severe pulmonary hypertension, pulmonary arterial changes in, *147*
*Shunt,* congenital left-to-right intracardiac, ventilatory anaerobic threshold in, *19*
*Silent ductus:* precursors and aftermath, *121*
*Situs solitus* with normally connected great vessels and ventricular inversion (CR), *107*
*Soft-tissue swelling* in neonates during prostaglandin $E_1$ therapy (CR), *157*
*Stenosis,* aortic valve, retrograde transfemoral catheterization of LV in children with, *79*
severe subaortic, associated with congenital Rubella syndrome (CR), *221*
*Subaortic* shelf, AV septal defect after surgical resection of (CR), *205*

stenosis, severe, associated with congenital Rubella syndrome (CR), *221*
*Supraventricular tachycardia*, intrauterine, with familial history of Lown–Ganong–Levine syndrome (LE), *57*
*Surgical resection* of subaortic shelf, AV defect after (CR), *205*
*Swelling*, soft-tissue, in two neonates during prostaglandin $E_1$ therapy (CR), *157*
*Syndrome*, congenital Rubella, severe subaortic stenosis associated with (CR), *221*
Lown–Ganong–Levine, intrauterine supraventricular tachycardia with familial history of (LE), *57*
pos-pericardiotomy, as cause of intracardiac pericardial baffle obstruction (LE), *58*

*Tachycardia*, intrauterine supraventricular, with familial history of Lown–Ganong–Levine syndrome (LE), *57*
*Taussig*, Helen Brooke (O), *1*
*Teratoma*, intracardiac, in an infant (CR), *179*
*Tetralogy of Fallot* mimicked by VSD with mobile tricuspid valve pouch (CR), *53*
*Thrombosis*, right atrial: rare complication of the modified Fontan procedure (CR), *209*
*Total anomalous origin* of coronary arteries from PA, *11*
*Transcatheter device occlusion*, percutaneous, of a PDA (CR), *221*
*Transfemoral catheterization*, retrograde, of LV in children with aortic valve stenosis, *79*
*Transluminal venous balloon inflow occlusion*, balloon valvuloplasty with (CR), *103*
*Tricuspid* flow velocity, phasic, as measure of instantaneous RV compliance (SR), *155*
orifice, unguarded, with two-chambered RV (CR), *175*
valve pouch, mobile, in VSD (CR), *53*
*Truncus arteriosus*, persistent, pathologic anatomy in 54 cases, *95*
*Two-chambered right ventricle* with unguarded tricuspid orifice (CR), *175*
*Two-dimensional and Doppler echocardiography* in left circumflex coronary artery to RV fistula (CR), *167*

*Valvulitis*, Kawasaki, severe mitral insufficiency associated with (CR), *203*
*Valvuloplasty*, aortic balloon, with transluminal venous balloon inflow occlusion (CR), *103*
*Vectrocardiograms*, Frank, during first year of life: longitudinal study of healthy children, *141*
*Vein*, azygos, partial pulmonary venous connection to (CR), *115*
*Ventilatory anaerobic threshold* in children with left-to-right intracardiac shunt, *19*
*Ventricle*, left, in children with aortic stenosis, retrograde transfemoral catheterization of, *79*
left, persistent common AV canal with single papillary muscle of (CR), *221*
one underdeveloped and one dominant, spectrum of hearts with, *129*
*Ventricular* aortic valve stenosis, left, retrograde transfemoral catheterization of, *79*
compliance, instantaneous right, measured by phasic tricuspid flow velocity (SR), *155*
function, right and left, quantitative cineventriculographic study of, *183*
inversion with normally connected great vessels in situs solitus (CR), *107*
septal defect, closure of, through PA, *195*
septal defect with mobile tricuspid valve pouch (CR), *53*
septal defect and severe pulmonary hypertension, pulmonary arterial changes in, *147*
septum, intact, pulmonary atresia with, *183*
*Ventriculoarterial concordance* with AV discordance (CR), *107*
*Verapamil* in rats, ontogenic differences in sensitivity to, *25*
*Vessels*, normally connected great, with ventricular inversion in situs solitus (CR), *107*

## Author Index


Alboni P (*see* Bosi) *57*
Aldousany A (*see* Hammerman) *61*
Alix AG (*see* Guereta) *171*
Alpert BS (*see* Jureidini) *157*

Bale JF Jr (*see* Mathews) *161*
Ban T (*see* Mendoza) *49*
Bargeron LM Jr (*see* Thies) *129*
Barton CW: Two-dimensional and Doppler Echocardiographic Features of Left Circumflex Coronary Artery to Right Ventricle Fistula: Case Report and Literature Review *167*
Benito F (*see* Guereta) *171*
Berger S (*see* Hammerman) *61*
Bini RM (*see* Thies) *129*
Bitton Y: Review of 222 Cases of Acute Rheumatic Fever in Southern Israel (1974–1983) *199*
Boffa GM (*see* Scognamiglio) *183*
Bos E (*see* Gussenhoven) *175*
Bosi G: Intrauterine Supraventricular Tachycardia with a Familial History of Lown–Ganong–Levine Syndrome *57*
Bühlmeyer K (*see* Schumacher) *89*
Burakovsky V (*see* Fried) *147*
Burgueros M (*see* Guereta) *171*
Butto F: Persistent Truncus Arteriosus: Pathologic Anatomy in 54 Cases *95*

Campbell DN (*see* Shannon) *209*
Chase NA (*see* Jureidini) *157*
Chioin R (*see* Scognamiglio) *183*
Clark EB (*see* Mathews) *161*
Clarke DR (*see* Shannon) *209*
Collins GFN (*see* Vincent) *203*
Colvin EV (*see* Thies) *129*
Cornel G (*see* Sharratt) *189*
Costas C: Intracardiac Teratoma in an Infant *179*
Cottrill CM (*see* Johnson) *53*

Daliento L (*see* Scognamiglio) *183*
Dalla Volta S (*see* Scognamiglio) *183*
Doty DB (*see* Mathews) *161*
Dungan WT (*see* Kiel) *103*

Edwards JE (*see* Butto) *95*; (*see* Tandon) *107* and *111*; (*see* Shrivastava) *213*
Elorza MD (*see* Guereta) *171*
Essed CE (*see* Gussenhoven) *175*

Fälkovsky G (*see* Fried) *147*
Fortune RL (*see* Costas) *179*
Fried R: Pulmonary Arterial Changes in Patients with Ventricular Septal Defects and Severe Pulmonary Hypertension *147*
Fukumasu H (*see* Mendoza) *49*
Fyler D (*see* Fried) *147*

Gamallo C (*see* Guereta) *171*
Garani G-P (*see* Bosi) *57*
Gorchakova AI (*see* Fried) *147*
Gordonova MI (*see* Fried) *147*
Guereta LG: Cardiac Rhabdomyoma Presenting as Fetal Hydrops *171*
Guerrini P (*see* Bosi) *57*
Gussenhoven EJ: Unguarded Tricuspid Orifice with Two-chambered Right Ventricle *175*

Hammerman C: Prostaglandin Levels: Predictors of Indomethacin Responsiveness *61*; The Silent Ductus: Its Precursors and Its Aftermath *121*
Heifetz SA: Total Anomalous Origin of the Coronary Arteries from the Pulmonary Artery *11*
Heineman RP (*see* Tandon) *107*
Houston AB (*see* Sethia) *119*

Jamieson MPG (*see* Sethia) *119*
Jennings JG: Partial Anomalous Pulmonary Venous Connection to the Azygos Vein with Intact Atrial Septum *115*
Johnson GL: Ventricular Septal Defect with Mobile Tricuspid Valve Pouch Mimicking Tetralogy of Fallot *53*
Joseph A (*see* Bitton) *199*
Jureidini S: Soft-tissue Swelling in Two Neonates during Prostaglandin $E_1$ Therapy *157*

Kamiya T (*see* Suzuki) *3*
Keenan DJM (*see* Monro) *195*
Keeton BR (*see* Monro) *195*
Kesselman MS (*see* Vincent) *203*
Kiel EA: Aortic Balloon Valvuloplasty with Transluminal Venous Ballon Inflow Occlusion *103*
Kimura K (*see* Suzuki) *3*
Kohata T (*see* Suzuki) *3*
Koskinen M (*see* Uhari) *83*
Kuwahara N (*see* Suzuki) *3*

Lacson AG (*see* Sharratt) *189*
Lau K-C: Retrograde Transfemoral Catheterization of the Left Ventricle in Children with Aortic Valve Stenosis *79*; (*see* Leung) *205*
Leung MP: Atrioventricular Septal Defect after Surgical Resection of a Subaortic Shelf *205*; (*see* Lau) *79*
Lingman G: Circulatory Effects of Fetal Cardiac Arrhythmias *67*
Lo RNS (*see* Lau) *79*; (*see* Leung) *205*
Lorenz HP (*see* Schumacher) *89*
Lucas RV Jr (*see* Butto) *95*
Luken JA: Post-pericardiotomy Syndrome as a Cause of Intracardiac Pericardial Baffle Obstruction *58*

Maršál K (*see* Lingman) *67*
Marvin WJ Jr (*see* Mathews) *161*
Mathews K: Cerebral Infarction Complicating Fontan Surgery for Cyanotic Congenital Heart Disease *161*
Matsumoto H: Measurement of Instantaneous Right Ventricular Compliance by Phasic Tricuspid Flow Velocity *155*
McNamara DG: Helen Brooke Taussig: 1898–1986 *1*
Meisner H (*see* Schumacher) *89*
Mendoza DA: Aortopulmonary Window, Aortic Origin of the Right Pulmonary Artery, and Interrupted Aortic Arch: Detection by Two-dimensional and Color Doppler Echocardiography in an Infant *49*
Mikawa H (*see* Mendoza) *49*
Mok C (*see* Leung) *205*
Moller JH (*see* Tandon) *111*; (*see* Shrivastava) *213*
Monro JL: Closure of Ventricular Septal Defect through the Pulmonary Artery *195*
Monson DO (*see* Luken) *58*

Moore JW: Severe Subaortic Stenosis Associated with Congenital Rubella Syndrome: Palliation by Percutaneous Transcatheter Device Occlusion of a Patent Ductus Arteriosus *221*
Moses S (*see* Bitton) *199*
Mueller KH (*see* Heifetz) *11*
Mullins CE (*see* Moore) *221*

Newburger J (*see* Fried) *147*
Nishioka K (*see* Mendoza) *49*
Nomoto S (*see* Mendoza) *49*
Noonan JA (*see* Johnson) *53*
Norton JB (*see* Kiel) *103*

O'Connor WN (*see* Johnson) *53*
Ono Y (*see* Suzuki) *3*
Ošťádal B (*see* Škovránek) *25*

Paavilainen T: Frank Vectorcardiograms during the First Year of Life: a Longitudinal Study of 62 Healthy Children *141*
Pellegrino PA (*see* Scognamiglio) *183*
Pelouch V (*see* Škovránek) *25*
Procházka J (*see* Škovránek) *25*

Rabinovitch M (*see* Fried) *147*
Razzolini R (*see* Scognamiglio) *183*
Readinger RI (*see* Kiel) *103*
Reid L (*see* Fried) *147*
Reybrouck T: Ventilatory Anaerobic Threshold for Evaluating Exercise Performance in Children with Congenital Left-to-right Intracardiac Shunt *19*
Robinowitz M (*see* Heifetz) *11*
Rosenthal A (*see* Barton) *167*

Schreiber R (*see* Schumacher) *89*
Schumacher G: Interrupted Aortic Arch: Natural History and Operative Results *89*
Scognamiglio R: Pulmonary Atresia with Intact Ventricular Septum: a Quantitative Cineventriculographic Study of the Right and Left Ventricular Function *183*
Sebening F (*see* Schumacher) *89*
Serwer GA (*see* Jennings) *115*
Sethia B: "Absent" Pulmonary Valve with ASD and PDA *119*
Shannon FL: Right Atrioventricular Thrombosis: Rare Complication of the Modified Fontan Procedure *209*
Sharratt GP: Echocardiography of Intracardiac Filling Defects in Infants and Children *189*
Sheneflet RE (*see* Jureidini) *157*
Shrivastava S: Congenital Unilateral Pulmonary Venous Atresia with Pulmonary Veno-occlusive Disease in Contralateral Lung: an Unusual Association *213*
Škovránek J: Ontogetic Differences in Cardiac Sensitivity to Verapamil in Rats *25*
Snider AR (*see* Barton) *167*
Soto B (*see* Thies) *129*
Stijns H (*see* Reybrouck) *19*
Strates E (*see* Hammerman) *61* and *121*
Suzuki A: Coronary Arterial Lesions of Kawasaki Disease: Cardiac Catheterization Findings of 1100 Cases *3*

Takahashi O (*see* Suzuki) *3*
Takamiya M (*see* Suzuki) *3*
Tandon R: Ventricular Inversion with Normally Connected Great Vessels in Situs Solitus (Atrioventricular Discordance with Ventriculoarterial Concordance) *107*; Single Papillary Muscle of the Left Ventricle Associated with Persistent Common Atrioventricular Canal: Variant of Parachute Mitral Valve *111*
Tarkka M (*see* Uhari) *83*
Thies W-R: Spectrum of Hearts with One Underdeveloped and One Dominant Ventricle *129*
Topaz O: Myocardial Calcifications in Infants with Congenital Heart Disease *75*

Ueda T (*see* Mendoza) *49*
Uhari M: Renal Perfusion in Experimental Coarctation of the Aorta during Antihypertensive Therapy *83*

Valaitis S (*see* Hammerman) *121*
Van Devanter SH (*see* Kiel) *103*
Van Mierop LHS: Diagnostic Code for Congenital Heart Disease, Supplement *31*
Van der Hauwaert LG (*see* Reybrouck) *19*
Vanderzalm T (*see* Jureidini) *157*
Verble SM (*see* Johnson) *53*
Vincent RN: Severe Mitral Insufficiency Associated with Kawasaki's Valvulitis *203*
Virmani R (*see* Heifetz) *11*
Virmani S (*see* Sharratt) *189*

Weymans M (*see* Reybrouck) *19*
Weinberg M (*see* Luken) *58*
Weinberg PM: Systematic Approach to Diagnosis and Coding of Pediatric Cardiac Disease *35*
Weinhouse E (*see* Bitton) *199*
Williams RL (*see* Costas) *179*

Yamazato A (*see* Mendoza) *49*
Yokota Y (*see* Mendoza) *49*

Zaia W (*see* Hammerman) *61*